

# ERRATUM

FOLKMAR BORNEMANN

As pointed out by Georg Wechsberger, there is an asymptotic error term  $O(\|E\|_{\mathcal{J}_1}^2)$  missing from the formulation and proof of Lemma 4.1 of my paper

Bornemann, F.: 2010, On the numerical evaluation of Fredholm determinants, *Math. Comp.* **79**, 871–915.

This has no consequence to the substance of the lemma and the applications made of it in the paper, whatsoever. In particular, the important assertion  $\kappa_{\text{abs}} \leq 1$  remains correct. The lemma and its proof should read as follows (corrections marked in red):

**Lemma 4.1.** *Let  $A \in \mathcal{J}_1(\mathcal{H})$  be selfadjoint, positive-semidefinite with  $\lambda_1(A) < 1$ . Then, as  $\|E\|_{\mathcal{J}_1} \rightarrow 0$ ,*

$$(4.1) \quad |\det(I - (A + E)) - \det(I - A)| \leq \|E\|_{\mathcal{J}_1} + O(\|E\|_{\mathcal{J}_1}^2).$$

*That is, the condition number  $\kappa_{\text{abs}}$  of the determinant  $\det(I - A)$ , with respect to absolute errors measured in trace class norm, is bounded by  $\kappa_{\text{abs}} \leq 1$ .*

*Proof.* Because of  $1 > \lambda_1(A) \geq \lambda_2(A) \geq \dots \geq 0$ , the inverse operator  $(I - A)^{-1}$  exists. The product formula (3.1) implies  $\det(I - A) > 0$ ; the multiplicativity (3.5) of the determinant gives

$$\det(I - (A + E)) = \det(I - A) \det(I - (I - A)^{-1}E).$$

Upon applying Plemelj's formula (3.3) and the estimates (2.3) and (2.5) we get

$$\begin{aligned} |\log \det(I - (I - A)^{-1}E)| &= \left| \text{tr} \left( \sum_{n=1}^{\infty} \frac{((I - A)^{-1}E)^n}{n} \right) \right| \\ &\leq \sum_{n=1}^{\infty} \frac{\|(I - A)^{-1}\|^n \cdot \|E\|_{\mathcal{J}_1}^n}{n} = \log \left( \frac{1}{1 - \|(I - A)^{-1}\| \cdot \|E\|_{\mathcal{J}_1}} \right) \end{aligned}$$

if  $\|(I - A)^{-1}\| \cdot \|E\|_{\mathcal{J}_1} < 1$ . Hence, exponentiation yields

$$\begin{aligned} 1 - \|(I - A)^{-1}\| \cdot \|E\|_{\mathcal{J}_1} &\leq \det(I - (I - A)^{-1}E) \\ &\leq \frac{1}{1 - \|(I - A)^{-1}\| \cdot \|E\|_{\mathcal{J}_1}} \leq 1 + \|(I - A)^{-1}\| \cdot \|E\|_{\mathcal{J}_1} + O(\|E\|_{\mathcal{J}_1}^2), \end{aligned}$$

that is

$$|\det(I - (A + E)) - \det(I - A)| \leq \det(I - A) \cdot \|(I - A)^{-1}\| \cdot \|E\|_{\mathcal{J}_1} + O(\|E\|_{\mathcal{J}_1}^2).$$

Now, by the spectral theorem for bounded selfadjoint operators we have

$$\|(I - A)^{-1}\| = \frac{1}{1 - \lambda_1(A)} \leq \prod_{n=1}^{N(A)} \frac{1}{1 - \lambda_n(A)} = \frac{1}{\det(I - A)}$$

and therefore  $\det(I - A) \cdot \|(I - A)^{-1}\| \leq 1$ , which finally proves the assertion.  $\square$